Affordable Buildings, Exceptional Quality!



Outdoor Steel Buildings for All Applications

Steel Carports & Garages Horse Barns & Riding Arenas RV Shelter & Large Steel Buildings

Your Local Authorized All Steel Carports Dealer

DICOVER

Product Catalog www.allsteelcarports.com





Since its establishment in 2001, All Steel Carports, Inc. has strived towards excellence in manufacturing many types of carports, garages, and sheds. We take pride in the incomparable quality in each and every building we make.

Our sup-contractors work very hard to meet the needs of all our customers and will install your unit in Indiana, Ohio, Michigan or Illinois. At our main manufacturing facility we bend, cut, and weld all the materials we use in house. Our office in Indiana will handle all your orders and appointments, no matter how large or small. We look forward to answering your questions and helping solve your covered storage needs.

Our wide range of styles and options means we have the product for your, regardless of the application. We can even build a custom building at any width and depth you need. Made with the very best materials available, our buildings will provide top-of-the-line protection for all your important equipment. We are waiting to manufacture and install your new building today!

Main Office / Manufacturing

2200 North Granville Avenue Muncie, Indiana 47303 Toll Free: 800.730.7908 Fax: 765.284.2689




Regular Roof Carports

Top Quality Construction

Each of our buildings is constructed with 29 gauge steel. The building frame is either 12 or 14 gauge galvanized steel. The thicker, heavier, stronger 12 gauge steel does cost a little extra but it comes with a 20 year warranty on rust. While the 14 gauge is more affordable, it offers only a one year warranty on rust.*



12'W X 26'L X 6'H Regular



18'W X 21'L X 5'H Regular

Optional Heavy Duty 12 Gauge Frame

Thick, heavy and strong, plus a 20 year warranty against rust!

*Warranty assumes normal care and maintenance practices. Call us with any questions.



18'W X 21'L X 5'H Michigan Carport Shown



A-Frame Carports

Roof Styles

The regular top roof is standard and can be placed on 5 ft. legs. The A-frame roof has a triangular shape and higher peak, it must be placed on at least a 6 ft. leg. A-Frame buildings are substantially stronger when using vertical metal sheeting. The extra detail of this style makes a big difference in appearance.





18'W X 21'L X 6'H A-Frame Michigan Carport Shown with Vertical Roof



20'W X 21'L X 9'H A-Frame with 1 gable end, extra panel each side & supports



18'W X 21'L X 7'H A-Frame

with 1 gable end, 1/2 panels on each side & 45° cuts

Michigan Carports

A Michigan Carport is designed with extra vertical supports to withstand the heavy load of winter snow.

Regular Enclosed Ends & Sides

Ends and Sides

Avoid damage to your vehicle from weather and every day occurrences by purchasing sides and ends for your carport. Our garages are built to keep your vehicles and belongings safe and secure. Whether you need four walls or one, we will design a unit to fit your specific needs.



18'W X 26'L X 7'H with 8'x7' garage door & walk-in door



18'W X 26'L X 7'H



with 2-9'x7' garage doors & walk in door



18'W X 36'L X 12'H with 1 end & 1 panel on each side



22'W X 36'L X 10'H with extra panel and 6 supports

Regular Enclosed Ends & Sides



Customization

Each panel is made from 29 gauge steel. Panels are 3' wide and come in any length. All Steel Carports will custom cut panels to your specifications. With 13 different colors to choose from, you can mix and match your base and trim color to customize your building.

22'W X 26'L X 6'H

Regular style roof with one end and both sides enclosed.

24'W X 36'L X 8'H

Regular style roof, fully enclosed with one 10'x8' garage door, window and walk in door





20'W X 31'L X 6'H

Regular style roof, fully enclosed with one 9'x7' garage door.

A-Frame Enclosed Ends & Sides

Match Your Home

A-frame garages can be built to replicate the look and design of most homes. Garage doors, walk in doors, side drives and windows can all be added to further customize your building!

A vertical roof is recommended for any carport 36' or longer. This type of roof does not have overlapping panels which are more prone to leak.



24'W X 26'L X 8'W

Two 9'x7' garage doors, window and walk in door.



24'W X 31'L X 9'H A-Frame with two 10'x8' garage doors, walk in door and window



24'W X 26'L X 9'H Two windows, walk-in door, one 16'x9' frame opening with 45° degree cuts with vertical roof.



20'W X 21'L X 9'H A-Frame with one 10'x8' garage door and walk in door



22'W X 50'L X 12'H A-Frame with two 10'x10' garage doors, walk in door and two windows.



22'W X 26'L X 8'H A-Frame with two 8'x7' garage doors & two windows.

Mix trim styles and colors to match your home.

All Steel Carports, functional and attractive!



18'W X 26'L X 8'H A-Frame with 9'x7' garage door, walk in door & Vertical Roof.



20'W X 21'L X 9'H A-Frame vertical roof with 12'x21' lean to, walk in door and window.





20'W X 31'L X 9'H A-Frame with two 10'x8' 45° cut side garage doors and walk in door.

Two Tone Siding

22'W X 26'L X 8'H Two tone vertical roof with two 9' x 7" roll-up

doors and one walk-in side door.

Add that extra touch with

two tone sidding, available now!



Combine any of our siding colors with any building to create a truely uniqe All Steel Carport solution that will fit your needs and look great doing it! Call to design your custom unit today.

All vertical with one 10'x8' roll-up door and one walk-in door.

> Two tone building with two 9'x7' openings and one 12'x12' opening and vertical roof.

48'W X 26'L X 12'H X 9'H

Vertical Siding and Roof Panels



24'W X 31'L X 9'H

A-Frame with one 10'x8' side garage door and walk in door.

Heavy Duty Construction Holds Up To Heavy Snowfall!

A-Frame with one 9'x7' garage door and one walk in door.

18'W X 21'L X 8'H



A-Frame with two 10'x8' garage doors and two walk in doors.

31'

Vertical **Buildings**

Our vertical buildings are great for areas that receive a lot of snow or rain. The vertical panels allow the water to drain off the top and sides of the building instead of accumulating on the top.



24'W X 31'L X 9'H

A-Frame with 20' enclosed, one 10'x8' side garage door, walk in door, gable end and side opending with 45° cuts.



30'W X 26'L X 9'H 12' enclosed, gable ends, extra sheet metal, 9'x7' garage door and walk in door.



18'W X 31'L X 10'H A-Frame with 8'x7' garage door with 10' enclosed.



18'W X 31'L X 6'H Regular style with 10' enclosed and one 8'x7' garage door.



20'W X 31'L X 8'H

A-Frame with 10' enclosed, walk in door and gable end, 45° cut, 9'x7' garage door and 5 side drive.

Specially Made Sizes



Vertical roof and 20 supports. Enclosed end and one panel each side.

24'W X 80'L X 14'H



24'W X 80'L X 14'H Vertical roof and 20 supports. Enclosed end and one panel each side.

Tall Carport Supports

We recommend supports for any carport or building over 8' tall. The supports are 8' tall with an angle at the bottom which provides extra grip. The angle is embedded 3' underground in 85 lbs. of concrete. The top is then bolted to the legs of the structure. Supports are designed to stop the building from swaying and keep it firmly in place.



26'W X 36'L X 12'H Vertical roof with four extra sheets.



Regular roof.

Side Entrance Carports & Garages



24'W X 41'L X 8'H

Vertical roof with 8 side openings with 45° cuts and two gable ends.



20'W X 31'L X 8'H

Vertical roof with three 9'x7' side openings with 45° cuts and two windows.



12'W X 31'L X 8'H

A-frame with six side openings with 45° cuts and two gable ends with vertical roof.



20'W X 21'L X 8'H A-frame with two double gable ends and panels on each side with 45° cuts.



20'W X 31'L X 9'H A-frame with six side openings and two gable ends with finished legs.



42'W X 31'L X 12'H X 8'H

Vertical roof with one 9'x7' and one 10'x10' roll-up door, one walk-in door and a window.



Perfect for Livestock

Build a spacious home for your livestock with one of our Horse Barns. Each barn can be customized to your specifications to accommodate all of your farming needs.

36'W X 21'L X 11'H X 7'H

42'W X 41'L X 12'H X 8'H

Barn style with all vertical steel panels with one 10'x10' and two 9'x7' roll-up doors.





42'W X 26'L X 12'H X 8'H

with two double panel gable ends, four ends with two 9'x7' openings with both sides closed.

Agricultural Barns



48'W X 31'L X 12'H X 9'H

barn with 24"x12' full enclosed, two 10'x10' garage doors, two 12'x31'x9' leanto. Left side lean-to has one end and one side closed with two windows. Right side lean-to has two gable ends, one panel side with J-trim.

40'W X 50'L X 16'H X 13.5'H

28'x50'x16' with right side enclosed, 1-end enclosed with 10'x10' opening, 2-panels on left side with J-trim, 2-panel gable end with 12'x50'x13.5' full enclosed lean-to with 10'x12' garage door.





Our Agricultural Barns are large enough for your machines, vehicles and livestock. On all our larger buildings we suggest using supports, braces and extra frame bows for added stability.

1-10'x10' garage door, 1-9'x7' garage door, 1-walk in door & 1-window



48'W X 31'L X 12'H X 9'H

One 9' x 7' and two 10' x 10' garage doors with one side walk-in door and one window. Vertical Roof.



48'W X 31'L X 9'H

Two 9' x 7' and two 10'x 10' roll-up doors and a walk in side door with vertical roof.



12'W X 21'L X 8'H Vertical Roof Lean-To







12'W X 15'L X 8'H Lean-To

Commercial Storage Buildings



34'W X 80'L X 14'H

Commercial truss all vertical, fully enclosed with one 10' x 10' and two 9' x7' roll-up doors.

46'W X 60'L X 14'H

Commercial truss building, all vertical with one 12' x 12' opening and two 10' x 10' openings and one walk-in door.

All our truss style commercial buildings use vertical steel roof panels for added strength. Vertical steel panels also reduce snow and water loads on roofs.

Commercial Storage Buildings



See the Benefits of Truss Style Construction

Our commercial structures employ a truss structure. The added stability of this design allows widths of 30 to 50 feet and lengths up to 200 feet without internal supports. By eliminating internal supports we can maximize your storage options. The truss structure is perfect for areas which are exposed to strong winds and heavy snow. These commercial buildings require poured concrete footers or piers in order to handle the extra loads. When a regular steel structure won't work for your storage needs, All Steel Carports can custom build a truss style building for any need.





26'W X 51'L X 11'H

All vertical building with two 10' x 10' roll-up doors, one walk in door and two windows.





<u>ALL STEEL</u> CARPORTS

Storage Buildings & Awnings



IO'W X 12'L X 7'H A-Frame with 6'x6' garage door.



8'W X 12'L X 6'H Regular Roof with 6'x6' garage door.



I2'W X 20'L X 8'H A-Frame with 8'x7' garage door, gable end, porch and handrail.



18'W X 20'L X 8'H All Vertical Panels with 8'x7' garage door, window and walk in door. One gable end, 10' enclosed with finished legs and one side opening.



12'W X 12'L X 7'H A-Frame with one 6'x6' garage door, walk in door, porch and handrail



Structure of floor section.

Storage Buildings & Awnings



12'W X 20'L X 7'H A-Frame with 6'x6' roll-up door.



IO'W X IG'L X 7'H All vertical with one 6'x6' roll-up door.



12'W X 20'L X 7'H 15' enclosed with one 8'x6' side door and one walk in door with a gable end.



I2'W X I6'L X 7'H 6x6 door on one side with one window.





Accessories & Options



STD Walk-In Door 32"x72" 34"x76"




Nine Light Walk-In Door 34"x76"

Walk-In Door




Window






Garage Door






Insulation



Support Brace

Components & Trim



Manufacturing



Control Over Nearly Every Building Component

The quality of workmanship and materials used in our storage solutions is no accident. Quality control over even the smallest part of our buildings affects the functionality and lifespan of the finished building. Throughout the years, we have invested heavily in manufacturing equipment and skilled employees. From machinery that stamps coiled steel into metal siding to equipment which rolls, forms and bends the steel tube frames, we do it all at our local manufacturing facility. What does this mean to you? When you purchase an All Steel Carports building, we stand behind the quality because we designed and manufactured every major component.



Local manufacturing of metal siding and frames ensures quick availability and the highest quality for your storage solution. Your All Steel Carport building will exceed your expectations.

Manufacturing









All Steel Carports Inc., Made in the USA!

Throughout the years, it seems that we have seen fewer "Made in the USA" products. All Steel Carports still believes that the best products are made in the USA and we stand behind this claim. All major building components are stamped, formed and welded in our Muncie, Indiana manufacturing facility. Since we have complete control over design and quality processes, we can proudly boast that all of our buildings are a high quality, Made in the USA product.

Color Options

<u>ALL STEEL</u> CARPORTS

Burgundy

Forest Green

Hawaiian Blue

Zinc Grey

Black

Bright White

Barn Red

Light Stone

Pebble Beige

Pewter Grey

Brown

Mocha Tan



Frequently Asked Questions

QUESTION: How long will it take to get my carport installed after I place my order.

ANSWER: Generally we give a time frame of 7 to 10 days for installation. The most you would have to wait is 2 weeks.

QUESTION: How long will it take for my carport to be assembled.

ANSWER: Most standard carports are assembled in about 45 minutes. For larger buildings it may take up to two days for installation.

QUESTION: Does installation cost extra?

ANSWER: No. Installation is included in the final sale price.

QUESTION: What preparations do I need to make before my carport is installed.

ANSWER: We ask that you make the lot that the carport will be installed on as level as possible or your unit will be installed "As Is" on lot. Prior to installation, please have any underground cables, gas lines, or any other utility lines located and marked. All Steel Carports, Inc. will not be responsible for any damage to underground utility lines.

QUESTION: What are your payment methods?

ANSWER: All orders are C.O.D. We accept cash, check, money order, Visa, MasterCard, and Discover.

QUESTION: Is financing available?

ANSWER: No. As of this time no financing is available.

QUESTION: Do I need a permit?

ANSWER: We are not responsible for permits, covenant searches or restrictions. You are responsible for obtaining any permits from your local Building Inspector.

QUESTION: Will my price be lower if I order direct from All Steel Carports, Inc.?

ANSWER: No. Our customers are more than welcome to order direct from us, but we have established dealers set up in most areas who can help you understand better what you are ordering.

QUESTION: I will be installing my building on a cement slab. What size should the slab be?

ANSWER: Your cement slab should be 3 inches bigger than the carport. For example if you order an 18 x 21, your cement slab should be 18ft. 3in. x 21 ft. 3in.

QUESTION: What are the outside dimensions of the carport?

ANSWER: Our carports are measured Width x Length x Height (18 x 21 x 6). The width is measured from the outside of each base rail. Length is measured with the base rail being 1ft. shorter than the roof since there is a 6 in. overhang on the roof's metal. Height is measured by the actual leg on the outer wall.

QUESTION: Can I add options to my building after it is installed?

ANSWER: Yes, any additional options you wish to add can be added at any time. A \$50.00 service fee is charged.

QUESTION: Do I get a discount if I install it myself?

ANSWER: All Steel Carports, Inc. gives a 5% discount if you install it yourself and a 10% discount if you pick up the materials and install it.

QUESTION: What types of anchors do you offer?

ANSWER : We offer 5 Different types of anchors.

- 1. Pin Rebar which comes standard, is a steel reinforcing bar which is placed in a pre drilled hole in the base rail.
- 2. Mobile Home Anchors are used primarily for ground installs
- 3. Concrete Anchors are used for cement installations.
- 4. Asphalt Anchors are used for asphalt installs.
- 5. Supports are used for any building 8' tall or higher.

All anchors besides the Pin Rebar are available for an additional cost.

Affordable Buildings, Exceptional Quality!



One 9' x 7' and two 10' x 10' garage doors with one side walk-in door and one window. Vertical Roof.

18'W X 26'L X 8'H

A-Frame with 9'x7' garage door, walk in door & Vertical Roof.

22'W X 26'L X 8'H

Two tone wertical roof with two 9' x 7" roll-up doors and one walk-in side door.

All Steel Carports, Inc.

2200 N Granville Ave Muncie, IN 47303 Phone: (800) 730-7908 Email: info@allsteelcarports.com www.allsteelcarports.com